



乐清市地宏接插件有限公司
Yueqing Dihong Connectors Co., Ltd.

Wenzhou, China | 中国·温州

2025 - 07



YUEQING DIHONG CONNECTOR CO., LTD. WAS AN ENTERPRISE SPECIALIZING IN THE MANUFACTURING OF AUTOMOTIVE CONNECTORS AND RELATED PRODUCTS. AS A KEY PARTICIPANT IN THE AUTOMOTIVE INDUSTRY CHAIN, WE ARE COMMITTED TO PROVIDING HIGH-QUALITY ELECTRICAL CONNECTION SOLUTIONS FOR THE AUTOMOTIVE SECTOR. THROUGH CONTINUOUS TECHNOLOGICAL INNOVATION AND PRODUCT DEVELOPMENT, WE STRIVE TO MEET THE NEEDS OF OUR CUSTOMERS.

OUR PRODUCT RANGE INCLUDES VARIOUS AUTOMOTIVE CONNECTORS, FUSE BOXES, FUSES, WIRE HARNESSSES, LAMP SOCKETS, ETC., WHICH ARE ESSENTIAL COMPONENTS IN AUTOMOTIVE ELECTRICAL SYSTEMS. THROUGH CLOSE COLLABORATION WITH AUTOMOTIVE MANUFACTURERS AND SUPPLIERS, WE ENSURE THAT OUR PRODUCTS MEET INDUSTRY STANDARDS AND CUSTOMER REQUIREMENTS, PROVIDING HIGH-QUALITY AND RELIABLE ELECTRICAL CONNECTION SOLUTIONS FOR AUTOMOTIVE PRODUCTION.

WE ALWAYS ADHERE TO A CUSTOMER-CENTRIC PHILOSOPHY, FOCUSING ON PROVIDING QUALITY PRODUCTS AND SERVICES. MEANWHILE, WE EMPHASIZE TECHNOLOGICAL INNOVATION AND PRODUCT DEVELOPMENT TO CONTINUOUSLY IMPROVE PRODUCT QUALITY AND PERFORMANCE, ADAPTING TO THE EVOLVING TRANSPORTATION INDUSTRY. WITH EXTENSIVE INDUSTRY EXPERIENCE AND PROFESSIONAL KNOWLEDGE, OUR TEAM CONTINUOUSLY OPTIMIZES PRODUCTION AND QUALITY MANAGEMENT TO ENSURE OUR PRODUCTS MEET DIVERSE CUSTOMER NEEDS. WE ARE GUIDED BY THE PRINCIPLES OF "CUSTOMER FIRST," "QUALITY FIRST," AND "REPUTATION FIRST."

WE ARE WILLING TO COLLABORATE WITH AUTOMOTIVE OEMS, DEALERS, NEW FRIENDS, AND OLD FRIENDS TO JOINTLY PROMOTE THE DEVELOPMENT AND IMPROVEMENT OF THE AUTOMOTIVE PRODUCTION CHAIN, CONTRIBUTING OUR EFFORTS TO THE SUSTAINABLE DEVELOPMENT OF THE AUTOMOTIVE INDUSTRY.

WE WARMLY WELCOME LEADERS AND FRIENDS FROM ALL SECTORS AT HOME AND ABROAD TO VISIT US FOR GUIDANCE, AND WORK TOGETHER TO CREATE BRILLIANCE.

乐清市地宏接插件有限公司

是一家专注于汽车接插件及相关产品制造的企业。作为汽车工业链的关键参与者，我们致力于为汽车行业提供高质量的电气连接方案，并通过持续的技术创新和产品研发，不断满足客户的需求。



我们的产品包括各种汽车接插件、保险盒、保险片、线束、灯座等，是汽车电气系统中不可或缺的重要组成部分。通过与汽车制造商及供应商的紧密合作，我们确保产品的设计符合行业标准和客户的要求，为汽车生产提供优质可靠的电气连接解决方案。

我们始终坚持以客户为中心的理念，致力于提供优质的产品和服务。同时，我们注重科技创新和产品研发，不断提升产品质量和性能，以适应交通行业的不断变化和发展。我们团队拥有丰富的行业经验和专业知识，在生产制造和质量管理方面不断优化和提升，以确保我们的产品能够满足客户的各种需求。我们始终秉承着“用户第一”、“质量第一”、“信誉第一”的宗旨。

乐清市地宏接插件有限公司愿与各汽车主机厂、各经销商、新朋友、老朋友一起携手合作，共同推动汽车生产链的发展与完善，为汽车行业的持续发展贡献我们的力量。

热烈欢迎国内外各界领导、朋友莅临指导，共创辉煌。





注塑车间 Injection Workshop



冲压车间 Stamping Workshop



镜面电火花车间 Mirror Surface Sparking Workshop











精密磨床车间 Precision Grinding Workshop






目 录 Contents













端子类 Terminal Type

01-55







929967-1

H37



H: 2.5

W: 2.5

L: 31

DJ213-2.5A/B

H38



H: 4.1

W: 2.7

L: 19.8

DJ627H-2.8B

H39



H: $\phi 2$

W: $\phi 2$

L: 15.4

64323-1029

H40



H: 2.75

W: 2.75

L: 21.5

DJ221YA-1.5B

1060-20-0122

H41



H: $\phi 1$

W: $\phi 1$

L: 21.7

DJ214B-1.0B

1062-20-0122

H42



H: $\phi 2$

W: $\phi 2$

L: 20.4

DJ224B-1.0B

0462-201-16141

H43



H: $\phi 2.8$

W: $\phi 2.8$

L: 18.9

DJ224BA-1.5

0460-202-16141

H44



H: $\phi 1.6$

W: $\phi 1.6$

L: 20.6

DJ214BA-1.5

1062-16-0622

H45



H: $\phi 2.8$

W: $\phi 2.8$

L: 20.2

DJ224B-1.5A

1060-16-0622

H46



H: $\phi 1.5$

W: $\phi 1.5$

L: 22.2

DJ214B-1.5A

3-1447221-3

H47



H: $\phi 2$

W: $\phi 2$

L: 22.6

DJ224-1.0A

H48



H: 2.8

W: 2.8

L: 22.4

DJ224-1.5A

光伏插头

H414



H: 4.0

W: 5.5

L: 28.3

F-4A

光伏插头

H415

H: $\phi 4$


W: 5.1

L: 33.2

F-4Y

点焊件

H416



H: 7

W: 4.1

L: 19.5

1241408- 点焊件

H417

H: $\phi 4$

W: 6.1

L: 36

QKV-104A

点焊件

H418



H: 3.2

W: 4.3

L: 18.4

968075-3

点焊

H419



H: 4.4

W: 3.2

L: 21

968857-1

H420



H: 2.5

W: 2.2

L: 22.9

DJ615G-1.5x0.6

7-1452668 点焊件

H421



H: 1.8

W: 1.85

L: 16

DJ623H-1.2x0.6

963904-1

H422



H: 2.5

W: 2.1

L: 22.6

DJ615F-1.5x0.6 半色

H423



H: 4.4

W: 11.4

L: 30.3

DJ626-D9.5B

H424



H: 1.5

W: 2.8

L: 22.6

DJ224-1.5A

929989-1 点焊

H425

H: $\phi 1.5$

W: 2.55

L: 21

DJ221YA-1.5

1062-16-0122

H49



H: $\phi 2.8$ W: $\phi 2.8$ L: 20.3

DJ224B-1.5B

1060-16-0122

H50



H: $\phi 1.5$ W: $\phi 1.5$ L: 22.2

DJ214B-1.5B

1062-12-0122

H51



H: $\phi 4$ W: $\phi 4$ L: 24

DJ224B-2.3C

1060-12-0122

H52



H: $\phi 2.4$ W: $\phi 2.4$ L: 25.6

DJ214B-2.3C

917309-1


H53



H: 0.4 W: 0.8 L: 15.5

DJ-612-F0.4A

H54



H: 0.62 W: 0.62 L: 22.6

SS-0.6x0.6A

H55



H: 1.75 W: 1.5 L: 23

DJ611K-0.6x0.6A

H56



H: 0.6 W: 1.5 L: 23.6

DJ611-0.6x0.6 短

H57



H: 0.6 W: 0.8 L: 20

DJ611Y-0.6A

H58



H: 1.7 W: 1.4 L: 15.4

DJ621Y-0.6A

H59



H: 0.6 W: 0.7 L: 22.3

OBD 插针

H60



H: 0.6 W: 0.8 L: 15.3

DJ614Y-0.6A

0914-B-1 长

H426



H: 0.65 W: 1.5 L: 40.7

DJ211G-1.5F

0914-A-1 短

H427



H: 0.65 W: 1.5 L: 30.6

0914-A-2

H428



H: 0.6 W: 1.8 L: 25

DJ611YA-1.2x0.6A

H429



H: 0.6 W: 1.0 L: 12.6

DJ614Y-0.6A

H430



H: 0.62 W: 1.85 L: 25.2

7114-4721-02

H431



H: 0.62 W: 0.63 L: 21.6

963716-1

SY-0.6x0.6

H432



H: 1.9 W: 1.45 L: 14.8

JPM20002-1

H433



H: 0.6 W: 0.6 L: 19

2385474-1

H434



H: 1.75 W: 1.4 L: 12.5

DJ629G-0.6x0.6

泽达

H435



H: 0.6 W: 0.8 L: 24.6

M34P75C4F2

316832-1

H436



H: 2.5 W: 1.8 L: 16.1

628C-1x0,6





50147-8000





H437








H: 1.3 W: 1.8 L:

DJ618-F1.2x0.4







IL-AG5-C1-5000

H85



H: 1.8

W: 1.8

L: 22.7

DJ7161A-2

IL-AG5-PC1-5000

H86



H: 0.64

W: 0.8

L: 25.5

DJ6117-1x0.6A

H87




H: 1.8

W: 1.8

L: 15.1

DJ7181C-2A/B

H88



H: 1.4

W: 1.8

L: 11.8

DJ622C-1x0.6A

H89



H: 1.5

W: 1.8

L: 14.8

SS-0.6x0.6A

H90



H:

W:

L:

DJ624B-1S

627-1S

H91



H: 1.85

W: 1.5

L: 18.2

DJ622-F1.0A

H92



H: 2.2

W: 1.6

L: 14.8

DJ625W-1x0.6A

7114-4721-02

H93



H: 0.6

W: 0.8

L: 25.5

DJ613Y-1.0x0.6A

8100-3067

H94



H: 2.2

W: 2

L: 17

DJ622A-G1x0.6A

353537-1

H95



H: 0.6

W: 1

L: 23.9

DJ611-F1.0x0.6A

H96







H: 0.6

W: 1

L: 24.5

DJ612A-F1x0.6A



G400

H109



H: 2.1

W: 2

L: 15.6

DJ624A-1x0.6A

7116-1261

H110



H: 1.6

W: 1.8

L: 15.2

DJ621-G1.2x0.6A

H111



H: 2.4

W: 2

L: 16.6

DJ621Y-F1.2A

H112



H: 2.1

W: 1.85

L: 14.3

DJ621C-1.2A

0462-201-16141

H113



H: 0.6

W: 1.2

L: 24.9

DJ611YA-1.2x0.6A

MX19S10K451

H114



H: 1.7

W: 1.8

L: 9.3

DJ623C-1x0.6A

H115



H: 2

W: 2.4

L: 16

DJ629-1.2T

H116



H: 1.75

W: 2.3

L: 10.6

DJ211LA-1.0A

H117



H: 2.4

W: 1.8

L: 16.1

316836-1

H118



H: 2.2

W: 1.75

L: 15

JPM03014-T

H119



H: 2.7

W: 2.4

L: 18.9

DJ628-1.5x0.6A

H120



H: 0.6

W: 1.5

L: 28.3

DJ611-G1.5x0.6A

211CC2S1160

H121



H: 2.5 W: 2.4 L: 18.9

DJ627-1.5Ax0.8

8100-0478

H122



H: 2 W: 2.6 L: 19.2

DJ621-F1.5x0.6A

H123



H: 内圈 1.5 W: $\phi 2$ L: 13.6

DJ221Y-1.5Y

770520-1

H124



H: 2.5 W: 2.5 L: 20.3

DJ223-1.5A

H125



H: 1.5 W: 1.5 L: 24

DJ214-1.5A

H126



H: 2.5 W: 2.5 L: 28.2

DJ224-1.5A

282110-1

H127



H: 2.6 W: 2.6 L: 16.5

DJ621-1.5x0.8

H128



H: 2 W: 2 L: 20.6

DJ612B-F1.5A

776001-1

H129



H: 2.5 W: 2.5 L: 16

DJ623-FA1.5A

H130



H: 0.4 W: 1.2 L: 10.7

DJ618-F1.2x0.4A

H131



H: 0.6 W: 1 L: 24.6

DJ611B-1.3x0.6A

7114-4100-02

H132



H: 0.8 W: 1.5 L: 26

DJ612A-F1.5x0.8A

12045773

H133



H: 0.8

W: 1.5

L: 27.4

DJ611A-1.5A/B

H134



H:

W:

L:

DJ611-1.5x0.8(TK)

H135



H: 0.8

W: 1.5

L: 27.9

DJ612-F1.5 长

H136



H: 2.7

W: 2.5

L: 18.8

DJ627-F1.5A

211CL2S1160

H137



H: 0.8

W: 1.5

L: 30

DJ617-1.5x0.8A

H138



H: 0.6

W: 1.5

L: 21

DJ614C-1.5X0.6A

15326268

H139



H:

W:

L:

DJ618-1.5x0.6A

H140



H: 3

W: 2.3

L: 14

DJ621A-T1.5A

H141



H: 0.8

W: 1.5

L: 23

DJ611-1.5B(TH)

12048074

H142



H: 2.6

W: 2.6

L: 16.1

DJ621A-1.5A

H143



H: 0.8

W: 1.5

L: 20

DJ617A-1.5A 左蓝

H144


















H: 0.8










W: 1.5











L: 20









DJ617A-1.5A 右红











7116-4022

H484



H: 2.65

W: 3.0

L: 18

6617201KSS

G82

H485



H: 2.25

W: 3.0

L: 18.5

DJ627-F2.2A

H486



H: 1.7

W: 2.45

L: 17.9

DJ629G-1.5x0.6A

H487



H: 2.1

W: 2.7

L: 20.5

DJ211B-2.1A

H488

H: $\phi 1.5$

W: 1.5

L: 18

DJ211Y-1.5A

H489



H: 1.5

W: 2.2

L: 14.4

氧传感插簧

G670-459 焊片

H490



H: 0.3

W: 2.3

L: 9.2

110A-2 孔焊片

H491



H: 0.1

W: 1.5

L: 11.5

马盘 - 电刷片

173645-2

H492



H: 1.9

W: 2.55

L: 20.9

DJ611A-1.7x0.6A

H493



H: 1.8

W: 2.5

L: 20.8

DJ611-1.5x0.8/S

哈雷机车 EGU

H494



H: 2.3

W: 1.45

L: 23

DJ627D-Y003

H495



H: 3.5

W: 3.5

L: 6.9

DJ456-A

ST-730497

H169



H: 1.55

W: 2.6

L: 18

DJ622-1.8A

608

H170



H: 2.7

W: 2.7

L: 18.8

DJ624D-1.8A

171630-1

H171



H: 2.4

W: 2.9

L: 16.7

DJ621F-1.8x0.6A

H172



H: 2.6

W: 2.6

L: 16.1

DJ623-1.8T(WF)

G70

H173



H: 2

W: 2

L: 20.6

DJ221A-2A

0460-202-16141

H174



H: 2.8

W: 2.8

L: 21.1

DJ221A-2A

H175



H: 2.6

W: 2.6

L: 18

DJ223-2B

H176



H: 2.7

W: 2.7

L: 18.7

DJ623-2B

H177



H: 2.4

W: 3

L: 17.2

DJ621-G2x0.6A/T 脚

ST740482-3

H178



H: 0.6

W: 1.8

L: 23.7

DJ613-2Bx0.6

H179



H: 0.6

W: 2.2

L: 24.5

368086-1(087-1)

H180



H: 0.6

W: 2.2

L: 24.5

368088-1

8240-0263

H181



H: 2.25

W: 3

L: 18

DJ624-2.2A

8240-4892

H182



H: 2.6

W: 3

L: 18.3

DJ621-2.2A/B

H183



H: 2.4

W: 2.9

L: 18

DJ627Y-2.2A

H184



H: 0.6

W: 2.2

L: 23.9

DJ612-2.2x0.6A

H185



H: 0.6

W: 2.2

L: 24.5

DJ613-2.2x0.6

H186



H: 0.6

W: 2.2

L: 26.7

DJ614-2.2x0.6

H187



H: 0.6

W: 2.2

L: 26.2

DJ613-2.2x0.6

H188



H: 0.6

W: 2.2

L: 26.3

DJ616-2.2A

8230-4492

H189



H: 0.6

W: 2.2

L: 26.7

DJ611-2.2x0.6A

H190



H: 2.3

W: 2.9

L: 18.2

DJ623-2.3x0.6A

H191



H: 2.1

W: 3

L: 21

DJ625-2.2A/B

H192














H: 0.6








W: 2.2

L: 26.7

DJ611-2.3x0.6A







2630105E4201G

H205



H: 2.5

W: 4

L: 20.1

2630105E4201G

H206



H: 0.8

W: 2.8

L: 29.3

DJ616A-2.8x0.8B

H207



H: 0.8

W: 2.8

L: 22.3

DJ614B-2.8X0.8B

H208



H: 2.8

W: 0.8

L: 28.1

DJ613A-2.8x0.8

H517



H: 0.8

W: 2.8

L: 33.6

DJ611A-2.8X0.8B

H210



H: 2.8

W: 0.8

L: 25.2

DJ613G-2.8x0.8B

H211



H:

W:

L:

DY2.8x0.7

142754-1

H212



H: 0.8

W: 2.8

L: 27

DJ613B-2.8x0.6A

H213



H:

W:

L:

2.8t 型

H214



H: 0.8

W: 2.8

L: 33.3

DJ611-F2.8A/B(619)

H215



H: 0.6

W: 2.8

L: 28.3

DJ611B-2.8x0.6A/B

H216








H: 3.6

W: 3.7


L: 20.9

DJ623E-2.8x0.8 (不防水)



7183-5575-10

H229



H: 2.9

W: 4

L: 19.5

DJ625-2.8x0.8A

FT621-2.8

H230



H: 2

W: 3.75

L: 16.5

仿 2.8 端子

H231



H:

W:

L:

2.8 制锁

H232



H: 0.6

W: 3

L: 23.1

DJ614-F3.0x0.6A

ST740315-3

H233



H: 0.6

W: 3

L: 28.4

DJ611-3x0.6A/B

H234



H: 2.8

W: 4

L: 20.2

DJ622-3x0.6A/B

H235



H: 4.1

W: 3.5

L: 18.7

DJ623A-E3.5A(0.25)

H236



H:

W:

L:

DJ624-3.5B

H237



H:

W:

L:

DJ624G-3.5A

927863-1

H238



H:

W:

L:

DJ622-E3.5A

H239



H: 3.8

W: 6

L: 22.4

DJ025-2

H240



H: 2


W: 2.4

L: 16

3.5 制锁

12077939

H241



H: 3.8 W: 3.5 L: 15.9

DJ621-T3.5A

G569

H242



H: 4.88 W: 4.9 L: 18.3

DJ226Y-3.5C

7814054

H243



H: $\phi 4.1$ W: $\phi 4.1$ L: 20.3

DJ222-3.5A

H244



H: 3.8 W: 4.7 L: 18.3

3.5 灯座插座

9257-15-1

H245



H: 3.5 W: 3.5 L: 26.2

DJ212-3.5A/B/C/D

H246



H: 2.7 W: 2.4 L: 18.9

3.7 制锁

FT621-5.0

H247



H: 3 W: 5.8 L: 16.7

FT-4.5

H248



H: 2.65 W: 6 L: 12.8

DJ625C-D4.8x0.5A

H249



H: 2.5 W: 8.8 L: 9.5

DJ625L-D4.8x0.5A

8100-0468

H250



H: 3.2 W: 5.8 L: 19.3

DJ621-4.8x0.8A/B/C/D

8100-0465

H251



H: 0.8 W: 4.8 L: 28.8

DJ614-4.8x0.8B

H252



H: 2.5 W: 2.5 L: 20.3

直插 4.8 制锁

DJ623-2B

H520



H: 2.6

W: 2.65

L: 18.5

DJ621A-F1.8x0.6A/B

H521



H: 2.55

W: 3.4

L: 20.2

DJ627-1.5x0.8B

H522




H: 3.7

W: 6.5

L: 21.3

DJ627-4.8x0.8B

H523



H: 3.35

W: 7.45

L: 23.2

7116-4122-02

H524



H: 3.35

W: 7.45

L: 23.2

7116-4121-02

H525



H: 3.35

W: 7.45

L: 23.2

7116-4120-02

H526



H:

W:

L:

0268201

H527



H: 3.8

W: 7.6

L: 20.9

DJ624-6.3B/C

H528



H: 0.8

W: 7.8

L: 33.4

DJ619-7.8x0.8C

H529




H: 4.0

W: 9.3

L: 26

DJ621G-7.8x1.0D

H530




H: 0.8

W: 5.0

L: 27.2

DJ617-4.8x0.8B

H531












H: 0.8










W: 6.3

L: 26.7

DJ6118-6.3D







G422 灯座件

H340



H: 5.3

W: 3.5

L: 17.2

DZ-01 负极

G423 灯座件

H341



H: 12

W: 3.8

L: 26.7

DZ-02 正极

G582 灯座件

H342



H:

W:

L:

DZ-09

G583 灯座件

H343



H:

W:

L:

DZ-10

G584 灯座件

H344



H:

W:

L:

DZ-11 灯座

G585 灯座件

H357



H:

W:

L:

DZ-12

G586 灯座件

H361



H:

W:

L:

DZ-13

G587 灯座件

H360



H:

W:

L:

DZ-14

G589 灯座件

H359



H:

W:

L:

DZ-15

G617 灯座件

H346



H:

W:

L:

DZ-16

G618 灯座件

H345



H:

W:

L:

D-17

G625 灯座件

H532




H: 10.8

W: 4


L: 21

D-18



灯座

H533




H: 13.4 W: 18.5 L: 33.4

HT-2KA 大号

灯头

H534



H: 6.6 W: 10.7 L: 19.7

DJ6248-E6.3B

灯头


H535



H: 7.8 W: 3.9 L: 51

奔驰灯插头 -3

H536



H: 3.6 W: 6.85 L: 16.9

650Y-2A

H537



H: W: L:

D029-2A

H538

H: $\phi 4$ W: 5.1 L: 15.2

天线套支架


H539



H: 3.05 W: 7.6 L: 20.8

DJ626G-6.3

H540



H: 0.8 W: 7.3 L: 17.3

遮阳镜触片

H541



H: 6 W: 5.9 L: 10

9008A- 耳朵耙

H542



H: 1.6 W: 6.2 L: 11.2

X9P01- 传感器

H543



H: 0.7 W: 3.5 L: 24



22-18

H544



H: 6.8 W: 9.1 L: 18

D031YC-2



H301



H: 0.5	W: 8	L: 19.2
--------	------	---------

DJ431-5A

H302



H: 0.8	W: 10	L: 21
--------	-------	-------

DJ431-6A

H303



H: 0.4	W: 5	L: 11
--------	------	-------

DJ433-Y- 铝

H304



H: 0.5	W: 7.5	L: 20.8
--------	--------	---------

DJ431Y-5A

H305



H:	W:	L:
----	----	----

DJ4307-8A

H306



H:	W:	L:
----	----	----

叉形 3.8 高脚

H307



H: 8.3	W: 6.8	L: 17
--------	--------	-------

液位弯片

H308



H:	W:	L:
----	----	----

DJ4308-8A

H309



H:	W:	L:
----	----	----

DJ4306-6A


H310



H:	W:	L:
----	----	----

DJ4309-2x6A

H311



H:	W:	L:
----	----	----







七型针

H312




H:	W:	L:
----	----	----

油泵弯针 - 小



030481

H570



H: 1.0

W: 17.4

L: 39.8

3201501T9

H571




H: 4.7

W: 11

L: 20.2

DJ222-4A

H572




H: 1.0

W: 14.5

L: 37.2

2L0108I-1.0 厚

H573




H: 1.2

W: 12.9

L: 40

030708L-6-8

H574




H: 0.8

W: 14.5

L: 37.2

H2L0108B-0.8

H575




H: 1.0

W: 12

L: 38.9

0309600-6-8

H576



H: 1.5

W: 12

L: 26.9

2D1387

H577




H: 9.0

W: 14.0

L: 42.2

H6M00082

H578




H: 1.0

W: 18.2

L: 37.6

D335T2L-8-5

H579



H: 0.8

W: 14.3

L: 34.8

D30579

H580




H: 0.6

W: 14.5

L: 37.2

2L0108I-0.6

H581














H: 1.2




W: 14

L: 39




D30708













H325

H: 2	W: 2	L: 51
------	------	-------

电瓶车夹双孔 - 左



H326

H: 2	W: 12	L: 51
------	-------	-------

电瓶车夹双孔 - 右



H327

H:	W:	L:
----	----	----

金属保险盒组合



H328

H:	W:	L:
----	----	----

保险丝片



H329

H:	W:	L:
----	----	----

保险丝组合片



H330

H:	W:	L:
----	----	----

DJ431Y-6A



H331

H:	W:	L:
----	----	----

传感器弹片 镀金



H332

H:	W:	L:
----	----	----

3724049A



H333

H: 1.5	W: 14.6	L: 24.4
--------	---------	---------

φ6.4 孔式接头



H334

H: 4	W: 4	L: 5.75
------	------	---------

454-A



H335

H: 5	W: 5	L: 6
------	------	------

454-B



H336

H: 6	W: 6	L: 6
------	------	------

454-C



12103503

H373



H: 1

W: 17.5

L: 31.9

φ10.5 接线皮

ST710782-3

H374



H: 0.8

W: 14

L: 32.6

φ6.5 电瓶夹

H375



H: 1.2

W: 15

L: 35.6

φ6 孔式接头

H376



H: 2

W: 19

L: 37

φ6.4 孔式接头

H377



H: 2

W: 20

L: 38

φ8.7 孔式接头

LHX

H378



H: 1.5

W: 30.2

L: 41.4

φ6 双孔压接接线皮

LHX

H379



H: 1.2

W: 11.1

L: 19

φ6.5 孔式接头

H380



H: 1.2

W: 11.1

L: 40.3

φ6.5 孔式接线皮

H381



H: 1.5

W: 12.5

L: 46

φ6.5 孔式接线皮

H382



H: 0.8

W: 12

L: 43.9

DJ612-12x0.8(镀银)

H383



H:

W:

L:

不锈钢网圈

H384






H: 1.5



W: 12.5

L: 23.4

φ6.5 孔式 90° 折弯接线皮








硅钢片 -250

H411



H: W: L:

低压负感器

硅钢片 -310

H412




H: W: L:

低压负感器

硅钢片 -400

H413



H: W: L:

低压负感器

H645



H: 8.4 W: 12.8 L: 16

15495808- 钢卡

H646



H: 5.1 W: 10.2 L: 14.9

环形 6-1.5 罗套

H647



H: 13 W: 39.4 L: 79

座椅轨条

H648



H: 2.2 W: 4.7 L: 11.5

锅盖片

H649



H: 5 W: 6.95 L: 9.8

M8- 罗套


H650



H: 5 W: 1.5 L: 9.9

φ6-1.5 罗套

H651



H: 32.3 W: 14.6 L: 112

BYD-8M 弹卡

H652



H: 2.0 W: 30 L: 29.5


互感器盖板

H653



H: 51.8 W: 34.1 L: 29.5

互感器外壳



H618



H: 0.35

W: 1.5

L: 57

1066 双头电阻焊

H619



H: 0.8

W: 2.8

L: 25

81 针短针



乐清市地宏接插件有限公司

Yueqing Dihong Connectors Co., Ltd.

公司地址：浙江省乐清市石帆街道宁康东路2555号D栋

Address: Building D, No. 2555 Ningkang East Road, Shifan Subdistrict,
Yueqing City, Zhejiang Province

联系电话：+86-177-5778-9222(王哲蒙 经理)

Contact Tel: +86-177-5778-9222 (Manager: Wang Zhemeng)

网站地址(Website): <http://www.ZJDHH.com>